



# 2024 Workflow Workshop Webinar Series

## Preventive Care and Screening Measures:

- eCQM 138/MIPS CQM 226: Tobacco Use: Screening and Cessation Intervention
- MIPS CQM 431: Unhealthy Alcohol Use: Screening & Brief Counseling



# Agenda

## **eCQM 138/MIPS CQM 226: Tobacco Use: Screening and Cessation Intervention**

---

- Measure Overview

---

- Measure Specifications

---

- Measure Special Considerations

---

- Recommended Workflows & Exclusions/Exceptions

---

## **MIPS CQM 431: Unhealthy Alcohol Use: Screening & Brief Counseling**

---

- Measure Overview

---

- Measure Specifications

---

- Measure Special Considerations

---

- Recommended Workflows & Exclusions/Exceptions

---

# eCQM 138/MIPS CQM 226: Tobacco Use: Screening and Cessation Intervention

# Measure Overview

## eCQM 138/MIPS CQM 226: Tobacco Use: Screening and Cessation Intervention

|                  |  |
|------------------|--|
| Description      | <p>Percentage of patients aged 12 years and older who were screened for tobacco use one or more times during the measurement period AND who received tobacco cessation intervention if identified as a tobacco user.</p> <p>Three rates are reported for the percentage of patients aged 12 years and older:</p> <ol style="list-style-type: none"> <li>1. Who were screened for tobacco use one or more times during the measurement period</li> <li>2. <b>Who were identified as a tobacco user who received tobacco cessation intervention during the measurement period or in the 6 months prior</b></li> <li>3. Who were screened for tobacco use one or more times AND who received tobacco cessation intervention during the measurement period or in the 6 months prior if identified as a tobacco user</li> </ol> |
| Exclusion        | Hospice Care any time during the measurement period  |
| Points Available | Up to 10   |

# Measure Specifications

## Denominator

- Patients aged 12 years or older at the start of the measurement period
- WITH**
- At least 2 qualifying encounters (e.g. office visit, telephone visit) during the measurement period
- OR**
- At least 1 of the qualifying Preventative Visits during the measurement period:
  - Annual Wellness Visit
  - Preventative Care Services – Established Office Visit 18 and Up, Group Counseling, Initial Office Visit 18 and Up
- AND**
- Patient with documented tobacco screening performed
- AND**
- Results indicating “Tobacco User” during the measurement period

## Numerator

- Patient with documented tobacco use cessation counseling performed during the measurement period or in the 6 months prior to the measurement period
- OR**
- Patient with documented diagnosis for Tobacco Abuse Counseling during the measurement period or in the 6 months prior to the measurement period
- OR**
- Patient with documented tobacco use cessation medication ordered/taken during the measurement period or in the 6 months prior to the measurement period
- Documented tobacco use medication must be active throughout the measurement period

Special Note: For a complete list of qualifying encounters, please reference the measure papers

## Measure Special Considerations

- If a patient has multiple tobacco use screenings during the measurement period, only the most recent screening (includes documentation of the status of tobacco user or tobacco non-user), will be used to meet the measure requirements
  - If tobacco use status of a patient is unknown, the patient will not meet numerator credit
    - Instances where tobacco use status is unknown:
      - Patient is not screened OR
      - Patient is screened and patient (or caregiver) is unable to provide a definitive answer
- Tobacco Cessation Intervention – includes brief counseling (3 minutes or less) and/or pharmacotherapy
  - If a patient uses any type of tobacco (e.g. smokes or uses smokeless tobacco), the expectation is that they should receive tobacco cessation: either counseling and/or pharmacotherapy
  - **Tobacco use status** is required to meet Tobacco Status criteria

# Recommended Workflow

## Step 1: Document Tobacco Screening

- From the **Histories** Template

1. Navigate to the **Social** section
2. Click **Tobacco/Vaping Use**
3. Click **Add/Edit**

The screenshot shows the eCQM interface with the following elements:

- Navigation Bar:** Includes tabs for Intake, **Histories** (highlighted with a red box), SOAP, Finalize, and Checkout. Below these are sub-tabs for Demographics, Order Management, Document Library, and Chart Abstraction.
- Panel Control:** Includes a 'Toggle' button and a 'Cycle' dropdown.
- Record Information:** A checkbox labeled 'Record contains substance use disorder information'.
- Problem List:** A section with a '0' indicator and a dropdown arrow.
- Medical/Surgical/Interim:** A section with a dropdown arrow.
- Diagnostic Studies:** A section with a dropdown arrow.
- Family:** A section with a dropdown arrow.
- Social:** A section (highlighted with a red box and number 1) containing a dropdown menu.
- Substances:** A dropdown menu (highlighted with a red box and number 2) with 'Tobacco/Vaping Use' selected.
- Table:** A table with columns: Encounter Date, Tobacco Type, Smoking Status, Usage Per Day, Pack Years, Date Quit, and Vaping Status. Below the table is an 'Encounter Date:Time' input field.
- Footer:** Includes a note: 'Not all Social Histories items are visible. For details please see Social Histories template.' and a row of links: PRAPARE, Social Determinants of Health, Confidential History, and an **Add/Edit** button (highlighted with a red box and number 3).

# Recommended Workflow

## Step 1a: Document Tobacco Screening for Non-Smoker

1. Select **No** for “Have you ever used tobacco?”
2. Select the appropriate qualifying value for **Tobacco use status** for a non-smoker
  - **Smoking status** will automatically populate
3. Click **OK**
  - Workflow is Complete!

The screenshot shows the 'Adult Social History' form with the following details:

- Section 1:** 'Have you ever used tobacco?' with radio buttons for 'No/never' (selected), 'Yes', and 'Unknown'. A red box labeled '1' highlights this section.
- Section 2:** 'Have you used tobacco in the last 30 days?' with radio buttons for 'No' (selected) and 'Yes'. Below this are two tables: 'Smoking Tobacco Use' and 'Non-Smoking Tobacco Use'. A red box labeled '2' highlights the 'Smoking status' dropdown (set to 'Never smoker') and the 'Tobacco use status' dropdown (set to 'Current non-smoker').
- Section 3:** 'Historical Use' table with columns: Encounter Date, Tobacco Type, Usage Per Day, Years Used, Pack Years, Status, Age Started, Age Stopped.
- Bottom:** 'OK' and 'Cancel' buttons. A red box labeled '3' highlights the 'OK' button.

**QP Tip:** For a complete list of qualifying values for Tobacco Non-Users, please reference the whitepaper(s)

# Recommended Workflow

## Step 1b: Document Tobacco Screening for Former Smoker

1. Select **Yes** for “Have you ever used tobacco?”
  - Select appropriate choice for:
    - “Have you used tobacco in the last 30 day?”
    - “Have you used smokeless tobacco products in the last 30 days?”
2. Select the appropriate qualifying value for **Tobacco use status** for a former smoker/ex-smoker
3. Click **OK**
  - Workflow is Complete!

**Adult Social History**

**Social History**

Detailed document 
  Reviewed, updated 
  Reviewed, no change 
  History unobtainable:

Last update/detailed doc: / / ⓘ

Panel Control:

**Tobacco Use ⓘ**

1 Have you ever used tobacco?  No/never  Yes  Unknown [Exclusions](#)  Reviewed Updated: 08/01/2024

Have you used tobacco in the last 30 days?  No  Yes Have you used smokeless tobacco products in the last 30 days?  No  Yes

| Smoking tobacco Use                           |                          |                                 |                      |                      |                      | Non-Smoking tobacco Use |                                    |                          |                      |                      |                      |                      |
|---|--------------------------|---------------------------------|----------------------|----------------------|----------------------|-------------------------|------------------------------------|--------------------------|----------------------|----------------------|----------------------|----------------------|
| Tobacco type:                                 | Use daily:               | Usage per day:                  | Years used:          | Pack year:           | Age started:         | Age stopped:            | Tobacco type:                      | Use daily:               | Usage per day:       | Years used:          | Age started:         | Age stopped:         |
| <input checked="" type="checkbox"/> Cigarette | <input type="checkbox"/> | <input type="text"/>            | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/>    | <input type="checkbox"/> Chewing   | <input type="checkbox"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| <input type="checkbox"/> Cigarillo            | <input type="checkbox"/> | <input type="text"/> cigarillos | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/>    | <input type="checkbox"/> Smokeless | <input type="checkbox"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| <input type="checkbox"/> Cigar                | <input type="checkbox"/> | <input type="text"/> cigars     | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/>    | <input type="checkbox"/> Snuff     | <input type="checkbox"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| <input type="checkbox"/> Pipe                 | <input type="checkbox"/> | <input type="text"/> pipes      | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/>    |                                    |                          |                      |                      |                      |                      |

2 \*Smoking status: Former smoker Tobacco use status: Ex-light cigarette smoker

**Historical Use**

Total pack years as of 08/01/2024:

[Click here to see tobacco history prior to 7.9.1](#)

| Encounter Date | Tobacco Type | Usage Per Day | Years Used | Pack Years | Status | Age Started | Age Stopped |
|----------------|--------------|---------------|------------|------------|--------|-------------|-------------|
|                |              |               |            |            |        |             |             |

3

**QP Tip:** For a complete list of qualifying values for Tobacco Ex-Users, please reference the whitepaper(s)

# Recommended Workflow

## Step 1c: Document Tobacco Screening for Current Smoker

1. Select **Yes** for “Have you ever used tobacco?”
2. Select the appropriate qualifying value for **Tobacco use status**
3. Click **OK**

**Adult Social History**

**Social History**

Detailed document  Reviewed, updated  Reviewed, no change  History unobtainable: Last update/detailed doc: // ⓘ

Panel Control:

**Tobacco Use ⓘ**

Have you ever used tobacco?  No/never  **Yes**  Unknown   Reviewed Updated: 08/01/2024

Have you used tobacco in the last 30 days?  No  Yes Have you used smokeless tobacco products in the last 30 days?  No  Yes

**Smoking Tobacco Use**

| Tobacco type:                                 | Use daily:               | Usage per day:                  | Years used:          | Pack year:           | Age started:         | Age stopped:         |
|---|--------------------------|---------------------------------|----------------------|----------------------|----------------------|----------------------|
| <input checked="" type="checkbox"/> Cigarette | <input type="checkbox"/> | <input type="text"/>            | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| <input type="checkbox"/> Cigarillo            | <input type="checkbox"/> | <input type="text"/> cigarillos | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| <input type="checkbox"/> Cigar                | <input type="checkbox"/> | <input type="text"/> cigars     | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| <input type="checkbox"/> Pipe                 | <input type="checkbox"/> | <input type="text"/> pipes      | <input type="text"/> | <input type="text"/> | <input type="text"/> | <input type="text"/> |

**Non-Smoking Tobacco Use**

| Tobacco type:                      | Use daily:               | Usage per day:             | Years used:          | Age started:         | Age stopped:         |
|------------------------------------|--------------------------|----------------------------|----------------------|----------------------|----------------------|
| <input type="checkbox"/> Chewing   | <input type="checkbox"/> | <input type="text"/> units | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| <input type="checkbox"/> Smokeless | <input type="checkbox"/> | <input type="text"/> units | <input type="text"/> | <input type="text"/> | <input type="text"/> |
| <input type="checkbox"/> Snuff     | <input type="checkbox"/> | <input type="text"/> units | <input type="text"/> | <input type="text"/> | <input type="text"/> |

\*Smoking status:  Tobacco use status:

**Historical Use**

Total pack years as of 08/01/2024:

[Click here to see tobacco history prior to 7.9.1](#)

| Encounter Date | Tobacco Type | Usage Per Day | Years Used | Pack Years | Status | Age Started | Age Stopped |
|----------------|--------------|---------------|------------|------------|--------|-------------|-------------|
|                |              |               |            |            |        |             |             |

**QP Tip:** For a complete list of qualifying values for Tobacco Users, please reference the whitepaper(s)

# Recommended Workflow

## Step 2: Document Tobacco Cessation Counseling

- From the **Adult Social History** pop-up
  1. Scroll down to **Efforts to Quit Tobacco** section
  2. Select the **Tobacco Cessation Discussed** link

1  
Scroll Down to Efforts to Quit Tobacco

Adult Social History

Efforts To Quit Tobacco

Have you ever tried to quit using tobacco?  No/never  Yes  Unknown

Tobacco type: \_\_\_\_\_ Quit: Month: \_\_\_\_\_ Day: \_\_\_\_\_ Year: \_\_\_\_\_ Longest tobacco free: \_\_\_\_\_ Cessation method: \_\_\_\_\_ Relapse reason: \_\_\_\_\_

Add Update Clear

| Encounter Date | Tobacco Type | Date Quit | Longest Tobacco Free | Cessation Method | Relapse Reason |
|----------------|--------------|-----------|----------------------|------------------|----------------|
|                |              |           |                      |                  |                |

Remove

2  
Tobacco Cessation Information

Tobacco cessation discussed 
 Tobacco Cessation

| Date | Counseled By | Order | Status | Description | Code | Tobac |
|------|--------------|-------|--------|-------------|------|-------|
|      |              |       |        |             |      |       |

OK Cancel

# Recommended Workflow

## Step 2: Document Tobacco Cessation Counseling

- From the **Tobacco Cessation Discussed** pop-up
- 3. Select any of the qualifying options for **Tobacco Cessation Discussion** from the list and click **Add**
  - Pregnancy smoking education
  - Referral to stop-smoking clinic
  - Smoking cessation education
  - Smoking effects education
  - **QP Tip:** For a complete list of qualifying values, please reference the whitepaper(s)
- 4. Click **Save & Close**

Tobacco Cessation Discussed

Tobacco cessation discussion  Single select/Close  Multiple selection

Tobacco Cessation Discussion

Pregnancy smoking education

Referral to smoking cessation advisor (procedure)

Referral to stop-smoking clinic

Referral to tobacco use cessation clinic (procedure)

Referral to tobacco use cessation counseling program (procedure)

Referral to tobacco use cessation counselor (procedure)

Referral to tobacco use quit line (procedure)

Smoking and tobacco use cessation counseling visit, intermediate, > 3 min up to 10 min

Smoking and tobacco use cessation counseling visit, intermediate, greater than

Smoking cessation assistance

Smoking cessation education

History of Tobacco Cessation Discussions

| Completed Date | Description                 |
|----------------|-----------------------------|
| 08/01/2024     | Smoking cessation education |

Remove


Save & Close

# Exception/Exclusions Workflow: Hospice Care

Patients in Hospice care at anytime during the performance period may be excluded from the measure

- From the Patient Information Bar

1. Select **Alerts**
2. Click **Add/Edit**
3. Select **Hospice Care (regime/therapy)**
4. Click **Save & Close**



# MIPS CQM 431: Unhealthy Alcohol Use: Screening & Brief Counseling

# Measure Overview

| MIPS CQM 431: Unhealthy Alcohol Use: Screening & Brief Counseling |  |
|---|--|
| Description   | <p>Percentage of patients aged 18 years and older who were screened for unhealthy alcohol use using a systematic screening method at least once within 12 months AND who received brief counseling if identified as an unhealthy alcohol user.</p> <p>Three rates are reported for the percentage of patients aged 18 years and older:</p> <ol style="list-style-type: none"> <li>1. Who were screened for unhealthy alcohol use using a systematic screening method at least once within the last 12 months</li> <li><b>2. Who were identified as unhealthy alcohol users who received brief counseling</b></li> <li>3. Who were screened for unhealthy alcohol use using a systematic screening method at least once within the last 12 months AND who received brief counseling if identified as unhealthy alcohol users</li> </ol> |
| Exclusion   | Patients with dementia or Hospice Care any time during the measurement period  |
| Points Available  | Up to 3*   |

\*This measure does not have a benchmark. Small practices can earn up to 3 points and large practices cannot earn any points for the measure.

# Measure Specifications

| <u>Denominator</u>   | <u>Numerator</u>   |
|--|--|
| <ul style="list-style-type: none"> <li>• Patients aged 18 years and older during the patient encounter visit<br/><b>AND</b></li> <li>• Documentation G2196 code within the Numerator 1 Submission Criteria 1 at least once within the last 12 months prior or during the patient encounter<br/><b>AND</b></li> <li>• 2 patient encounter visits during the measurement period<br/><b>OR</b></li> <li>• 1 Preventative Visit during the measurement period</li> </ul> | <ul style="list-style-type: none"> <li>• Patients identified as an unhealthy alcohol user when assessed using a systematic screening method<br/><b>AND</b></li> <li>• Received brief counseling for unhealthy alcohol use performed within 12 months prior or during the patient encounter<br/><b>OR</b></li> <li>• Documentation of CPT II G2200 code within 12 months prior or during the patient encounter visit</li> </ul> |

Special Note: For a complete list of qualifying encounters, please reference the measure papers

# Measure Special Considerations

- Completed once per performance period for patients seen during the performance period
- Documentation of Code **G2196** is required in order for the patient to pull into the denominator
  - **G2196**: Patient identified as an unhealthy alcohol user when screened for unhealthy alcohol use using a systematic screening method
- Brief counseling refers to one or more counseling sessions, a minimum of 5-15 minutes, which may include:
  - feedback on alcohol use and harms
  - identification of high-risk situations for drinking and coping strategies
  - increased motivation and the development of a personal plan to reduce drinking

# Recommended Workflow

## Step 1: Document Alcohol Use

- From the **Histories** Template
- 1. Navigate to the **Social** section
- 2. Click **Alcohol/Caffeine**
- 3. Click **Add**

The screenshot shows the EHR interface for the 'Histories' template. The 'Histories' tab is highlighted with a red box and a circled '1'. In the left sidebar, the 'Social' section is highlighted with a red box and a circled '2'. Within the 'Social' section, the 'Alcohol/Caffeine' sub-section is highlighted with a red box and a circled '2'. At the bottom right, the 'Add/Edit' button is highlighted with a red box and a circled '3'.

**Problem List** 0

**Medical/Surgical/Interim**

**Diagnostic Studies**

**Family**

**Social**

Total pack years as of 08/01/2024:

Last documented  All [History Review](#)

| Substances          | Encounter Date | Tobacco Type | Smoking Status          | Usage Per Day | Pack Years | Date Quit | Vaping Status |
|---------------------|----------------|--------------|-------------------------|---------------|------------|-----------|---------------|
| Tobacco/Smoking Use | 08/01/2024     | Cigarette    | Current some day smoker |               |            |           |               |
| Alcohol/Caffeine    |                |              |                         |               |            |           |               |

Encounter Date:Time

[PRAPARE](#) [Social Determinants of Health](#) [Confidential History](#) **Add/Edit**

Not all Social Histories items are visible.  
For details please see Social Histories template.

# Recommended Workflow

## Step 1: Document Alcohol Use

4. Select **Yes** or **No** for “Do you drink alcohol?”
  - If **No**, the workflow is complete
  - If **Yes**, see next slide
5. Click **OK**

Adult Social History

Social History

Detailed document  Reviewed, updated  Reviewed, no change  History unobtainable

Last update/detailed doc: // ⓘ

Panel Control: Toggle Cycle

Tobacco Use ⓘ

Vaping Use

Alcohol/Caffeine

Alcohol: Do you drink alcohol?  No  Yes  Formerly Exclusions

Caffeine: Do you drink/consume caffeine?  No  Yes

Statuses

Lifestyle

Occupation

Diet

Environmental

Comments

OK Cancel

# Recommended Workflow

## Step 1: Document Alcohol Use

- **If Yes:**

1. Enter a numeric value to answer the question:

- For Male Patients: “How many times in the past year have you had 5 or more drinks in a day?”

OR

- For Female Patients: “How many times in the past year have you had 4 or more drinks in a day?”

If the numeric value is < 2, the patient is considered an Unhealthy Alcohol Non-User and the workflow is complete.

If the numeric value is  $\geq 2$ , the patient is considered an **Unhealthy Alcohol User** so **documentation of G2196 code and brief counseling will need to be provided to meet the measure.**

2. Click **OK**

Adult Social History

**Social History**

Detailed document
  Reviewed, updated
  Reviewed, no change
  History unobtainable

Last update/detailed doc: / /

Panel Control:

**Tobacco Use**

**Vaping Use**

**Alcohol/Caffeine**

Alcohol:

Do you drink alcohol?  No  Yes  Formerly

Exclusions

Type of alcohol: beer Frequency: weekly Amount: 5 beers Last drink: last night

1 How many times in the past year have you had 5 or more drinks in a day? 5

Caffeine:

Do you drink/consume caffeine?  No  Yes

**Statuses**

**Lifestyle**

**Occupation**

**Diet**

**Environmental**

**Comments**

2 OK Cancel

# Recommended Workflow

Step 2: If patient is identified as an Unhealthy Alcohol User, Document G2196 code

- From the **Procedures Module**
  1. Enter G2196 in the **Procedure** box  
**OR**  
Search G2196 with the ... button
  2. Click **Add**

The screenshot shows the 'Procedures' window with a table of deleted items and a form for adding a new procedure. The table has columns for Date, Code, Description, Units, Dx1, Dx2, Dx3, Dx4, Mx1, Mx2, and Mx3. A single row is visible with Date 07/24/2024, Code G2196, and Description Screen unhlthy etoh use. The form below the table includes fields for Procedure (G2196), Service Date (07/24/2024 10), Start/Stop Time (12:00 AM to 12:00 AM), Fee (\$0.00), P.O.S. (11), Units (1.00), NDC ID, Location (Main Office), Provider (Benson, William MD), Status (Completed), and Diagnosis. The 'Add' button is highlighted with a red box and a '2' in a red circle.

| Date       | Code  | Description             | Units | Dx1 | Dx2 | Dx3 | Dx4 | Mx1 | Mx2 | Mx3 |
|------------|-------|-------------------------|-------|-----|-----|-----|-----|-----|-----|-----|
| 07/24/2024 | G2196 | Screen unhlthy etoh use | 1.00  |     |     |     |     |     |     |     |

Procedure: G2196 Screen unhlthy etoh use

Service Date: 07/24/2024 10 Start/Stop Time: 12:00 AM 12:00 AM

Fee: \$0.00 P.O.S. 11 Units: 1.00 Rx on File

NDC ID: Suppress Billing

Location: Main Office

Provider: Benson, William MD

Status: Completed

Diagnosis:

Clear Delete Add

# Recommended Workflow

## Option 1

### Step 3: Document Brief Counseling

- From the **Finalize** Template

1. Navigate to the **Evaluation and Management Coding** section
2. Select the **Counseling Details** link

The screenshot shows the EHR interface with the following elements:

- Navigation Bar:** Home, Intake, Histories, SOAP, **Finalize** (highlighted with a red box and a '1' in a red circle), Checkout.
- Sub-navigation:** Order Management, Document Library, Procedures, Tobacco Cessation.
- Panel Control:** Toggle, Cycle, and a checkbox for "Record contains substance use disorder information".
- Section Headers:** General, Today's Assessment, Provider Sign Off, Evaluation and Management Coding.
- Complexity Selection:** Medical Decision Making (View MDM Guidelines), Straight forward, Low complexity, Moderate complexity, High complexity.
- Time Field:** Time (min) Total time personally spent today on patient care and documentation for this visit.
- Link:** "+ Counseling Details" (highlighted with a red box and a '2' in a red circle).

# Recommended Workflow

## Option 1

### Step 3: Document Brief Counseling

3. Click the field under **Type of counseling**
4. Select **Alcoholism counseling** from the picklist
5. Enter a numeric value > 5 minutes for the time counseled in the **Time** field
6. Click **OK**
7. Click **Save & Close**

**QP Tip:** In order to achieve credit, patient must receive alcoholism counseling for at least 5 minutes.

The screenshot shows the 'Counseling Details' form with the following elements highlighted by red boxes and numbered callouts:

- 3:** The 'Type of counseling' dropdown menu.
- 4:** The 'alcoholism counseling' option in the picklist.
- 5:** The 'Time' field in the 'Counselor' section, which is part of a numeric keypad interface.
- 6:** The 'OK' button at the bottom of the numeric keypad.
- 7:** The 'Save & Close' button at the bottom right of the form.

The form includes fields for 'Counseling/Educational Details', 'Method of counseling', 'Evaluation of counseling', 'Counselor', 'Date', and 'Time'. A numeric keypad is used to enter the time value. The 'Time' field currently shows '5'.

# Recommended Workflow

## Option 2

### Step 3: Document G2200 Code

- From the **Procedures Module**
- 1. Enter G2200 in the **Procedure** field  
**OR**  
 Search G2200 with the ... button
- G2200 Code: Patient identified as an unhealthy alcohol user received brief counseling
- 2. Click **Add**

| Date       | Code  | Description              | Units | Dx1 | Dx2 | Dx3 | Dx4 | Mx1 | Mx2 | Mx3 |
|------------|-------|--------------------------|-------|-----|-----|-----|-----|-----|-----|-----|
| 08/01/2024 | G2200 | Unhlthy etoh rcvcd couns | 1.00  |     |     |     |     |     |     |     |

Procedure:  ... Implantable Devices

Service Date:  Start/Stop Time:  12:00 AM - 12:00 AM

Fee:  P.O.S.  Units:   Rx on File

NDC ID:   Suppress Billing

Location:

Provider:

Status:

Diagnosis:  ...  ...  ...  ...

Modifiers:  ...  ...  ...  ...

# Exception/Exclusions Workflow: Hospice Care

Patients in Hospice care at anytime during the performance period may be excluded from the measure

- From the Patient Information Bar

1. Select **Alerts**
2. Click **Add/Edit**
3. Select **Hospice Care (regime/therapy)**
4. Click **Save & Close**

The screenshot shows the EHR interface for adding or editing alerts for a patient. The top navigation bar includes tabs for Alerts (5), Allergies (0), Problems (?), Diagnoses (18), Medications (2), and Appointments (0). The 'Patient Alerts - Test, Patient' window is open, displaying a list of alert categories: Chart, Communication, Prescribing, and Orders. The 'Chart' category is selected, and the 'Hospice Care (regime/therapy)' checkbox is checked. The 'Add/Edit' button is highlighted, and the 'Save & Close' button is also highlighted.

**BELIEVE IN BETTER.®**





LEGAL NOTICE: This document contains information that is confidential and proprietary to NextGen Healthcare, Inc. and its subsidiaries and affiliates (“Company”) and is intended for use solely by its authorized clients or partners. This document may not be copied, reproduced, published, displayed, otherwise used, transmitted, or distributed in any form by any means as a whole or in any part, nor may any of the information it contains be used or stored in any information retrieval system or media, translated into another language, or otherwise made available or used by anyone other than the authorized client or partner to whom this document was originally delivered without the prior, written consent of Company.

By retaining or using this document, you represent that you are a party who is authorized to use this document under one or more agreements between you and Company now in force, and that you will use this document and the information it contains solely as and to the extent such agreement(s) permit. If there is no agreement in place between the parties, you represent that you are the intended recipient of this document and that you will at a minimum, hold any confidential or proprietary information it contains to the same standards you would hold information from your own organization. Any other use or distribution of the contents of this document, as a whole or in any part, is prohibited.

Although we exercised great care in creating this publication, Company assumes no responsibility for errors or omissions that may appear in this publication and reserves the right to change this publication at any time without notice.

© 2023 NXGN Management, LLC. All Rights Reserved.

The registered trademarks listed at [www.nextgen.com/legal-notice](http://www.nextgen.com/legal-notice) are the registered trademarks of NXGN Management, LLC. All other names and marks are the property of their respective owners.

Our issued and published patents can be found at [www.nextgen.com/legal-notice](http://www.nextgen.com/legal-notice).